



期刊导读

6卷23期 2012年12月 [最新]

期刊存档

期刊存档

期刊订阅

在线订阅

邮件订阅

RSS

作者中心

资质及晋升信息

作者查稿

写作技巧

投稿方式

作者指南

编委会

期刊服务

建议我们

会员服务

广告合作

继续教育

您的位置： [首页](#) >> 文章摘要

肢体软组织肉瘤的临床预后因素研究进展

张路, 方志伟

100142 北京大学肿瘤医院 北京市肿瘤防治研究所 北京肿瘤医院骨与软组织肿瘤科

方志伟, Email:fzw66@yahoo.com.cn

关键词: 软组织肉瘤

[评论](#) [收藏](#) 全

文献标引: 张路, 方志伟. 肢体软组织肉瘤的临床预后因素研究进展[J/CD]. 中华临床医师杂志: 电子版, 2012, 6(23): 1-6.

参考文献:

- [1] 薛钟麒, 徐光炜. 影响软组织肉瘤预后的因素(附270例分析). 癌症, 1982; 1: 1-6.
- [2] Kattan MW, Leung DH, Brennan MF. Postoperative nomogram for 12-year sarcoma-specific survival. J Clin Oncol, 2002, 20:791-796. [\[PubMed\]](#)
- [3] Weitz J, Antonescu CR, Brennan MF. Localized extremity soft tissue sarcoma: improved 10-year survival over time. J Clin Oncol, 2003, 21:2719-2725. [\[PubMed\]](#)
- [4] Alkis N, Muallaoglu S, Kocer M, et al. Primary adult soft tissue sarcomas: analysis of 100 patients. Med Oncol, 2011, 28:391-396. [\[PubMed\]](#)
- [5] Lachenmayer A, Yang Q, Eisenberger CF, et al. Superficial soft tissue sarcomas of the head and trunk. World J Surg, 2009, 33:1641-1649. [\[PubMed\]](#)
- [6] Vasileios KA, Eward WC, Brigman BE. Surgical treatment and prognosis in patient with soft tissue malignant fibrous histiocytoma of the extremities. Arch Orthop Trauma Surg, 1991. [\[PubMed\]](#)
- [7] Lahat G, Tuvin D, Wei C, et al. New perspectives for staging and prognosis in soft tissue sarcoma. Ann Surgical Oncol, 2008, 15:2739-2748. [\[PubMed\]](#)
- [8] Tsukushi S, Nishida Y, Wasa J, et al. Clinicopathological assessment of T1 soft tissue sarcoma. Arch Orthop Trauma Surgery, 2011, 131:695-699. [\[PubMed\]](#)
- [9] Lewis JJ, Leung D, Casper ES, et al. Multifactorial analysis of long-term follow-up (median 10 years) of primary extremity sarcoma. Arch Surg, 1999, 134:190-194. [\[PubMed\]](#)

- [10] Liu CY, Yen CC, Chen WM, et al. Soft tissue sarcoma of extremities:the prognostic value of adequate surgical margins in primary operation and reoperation after recurrence. Ann Surg Oncol, 2010, 17:2102–2111. [\[PubMed\]](#)
- [11] Zhao J, Yang Y. Retrospective analysis of relative prognostic factors in stage I soft tissue sarcomas with standard treatments. Zhonghua Wai Ke Za Zhi, 2011, 49:970–973. [\[PubMed\]](#)
- [12] Rydholm A, Gustafson P. Should tumor depth be included in prognostication of soft tissue sarcomas? BMC Cancer, 2003, 3:17. [\[PubMed\]](#)
- [13] Gutierrez JC, Perez EA, Franceschi D, et al. Outcomes for soft-tissue sarcoma in a large state cancer registry. J Surg Res, 2007, 141:105–114. [\[PubMed\]](#)
- [14] Cheung MC, Zhuge Y, Yang R, et al. Incidence and outcomes of extremity soft-tissue sarcomas in children. J Surg Res, 2010, 163:282–289. [\[PubMed\]](#)
- [15] Bien E, Kazanowska B, Dantonello T, et al. Factors predicting survival in childhood intermediate vascular tumors:retrospective analysis of the Polish and German cooperative soft tissue sarcoma study groups and review of the literature. Ann Surgical Oncol, 2010, 17:2102–2111. [\[PubMed\]](#)
- [16] Scurr M. Histology-driven chemotherapy in soft tissue sarcomas. Curr Treat Options Oncol, 2012, 12:32–45. [\[PubMed\]](#)
- [17] Verweij J, Baker LH. Future treatment of soft tissue sarcomas will be driven by histologic subtype and molecular aberrations. Eur J Cancer, 2010, 46:863–868. [\[PubMed\]](#)
- [18] Salas S, Bui B, Stoeckle E, et al. Soft tissue sarcomas of the trunk wall(STS-TS) in patients from the French Sarcoma Group(FSG)database. Ann Oncol, 2009, 20:1127–1135. [\[PubMed\]](#)
- [19] Peiper M, Matthaei H, Bolke E, et al. Compartmental resection for subfascial extensive soft tissue sarcoma and quality of life in long-term survivors. Wien Klin Wochenschr, 2011, 123:40–45. [\[PubMed\]](#)
- [20] Ansari TZ, Masood N, Parekh A, et al. Four year experience of sarcoma of soft tissue in a tertiary care hospital and review of literature. World J Surgical Oncol, 2011, 9:51. [\[PubMed\]](#)
- [21] Canter RJ, Beal S, Borys D, et al. Interaction of histologic subtype and histologic grade in predicting survival for soft-tissue sarcomas. J Am Coll Surg, 2010, 210:191–198. [\[PubMed\]](#)
- [22] Wang L, Tan MH. The natural history and prognosticative factors of adult extramedullary soft tissue sarcomas:an Asian perspective. Ann Acad Med Singapore, 2010, 39:771–777. [\[PubMed\]](#)
- [23] Coindre JM, Terrier P, Bui NB, et al. Prognostic factors in adult patients with soft tissue sarcoma.A study of 546 patients from the French Federation of Cancer Centers. Clin Oncol, 1996, 14:869–877. [\[PubMed\]](#)
- [24] Gough NJ, Smith C, Ross JR, et al. Symptom burden, survival and palliative care in soft tissue sarcoma. Sarcoma, 2011, 2011:325189. [\[PubMed\]](#)
- [25] Penel N, Glabbeke MV, Mathoulin-Pelissier S, et al. Performance status is the most important prognostic factor for early death among patients with advanced soft tissue sarcoma:the European Organization for Research and Treatment of Cancer-Soft Tissue and Bone Sarcoma Group(STBSG)and French Sarcoma Group(STSG)study. Br J Cancer, 2011, 104:1544–1550. [\[PubMed\]](#)

[26] Saithna A, Pynsent PB, Grimer RJ. Retrospective analysis of the impact of symptom prognosis in soft tissue sarcoma. *Int Orthop*, 2008, 32:381–384. [\[PubMed\]](#)

[27] Rougraff BT, Davis K, Lawrence J. Does length of symptoms before diagnosis of patient survival? *Clin Orthop Relat Res*, 2007, 462:181–189. [\[PubMed\]](#)

[28] Rougraff BT, Lawrence J, Davis K. Length of symptoms before referral: prognostic grade soft tissue sarcoma? *Clin Orthop Relat Res*, 2012, 470:706–711. [\[PubMed\]](#)

[29] Lietman SA. Soft-tissue sarcomas: Overview of management, with a focus on surgical considerations. *Cleve Clin J Med*, 2010, 77:S13–17. [\[PubMed\]](#)

[30] Novais EN, Demiralp B, Alderete J, et al. Do surgical margin and local recurrence affect survival in soft tissue sarcomas? *Clin Orthop Relat Res*, 2010, 468:3003–3011. [\[PubMed\]](#)

[31] Gronchi A, Lo Vullo S, Colombo C, et al. Extremity soft tissue sarcoma in a series treated at a single institution: local control directly impacts survival. *Ann Surg*, 2007, 246:675–681; discussion 681–672. [\[PubMed\]](#)

[32] Stojadinovic A, Leung DH, Hoos A, et al. Analysis of the prognostic significance of margins in 2,084 localized primary adult soft tissue sarcomas. *Ann Surg*, 2002, 235:421–430. [\[PubMed\]](#)

[33] Pisters PW, Pollock RE, Lewis VO, et al. Long-term results of prospective trial with selective use of radiation for patients with T1 extremity and trunk soft tissue sarcoma. *Cancer*, 2007, 110:675–681; discussion 681–672. [\[PubMed\]](#)

[34] Puhaindran ME, Rohde RS, Chou J, et al. Clinical outcomes for patients with soft tissue sarcoma of the hand. *Cancer*, 2011, 117: 175–179. [\[PubMed\]](#)

[35] Sidappa KT, Krishnamurthy A. Adult soft-tissue sarcomas of the head and neck. *Cancer*, 2011, 117: 284–288. [\[PubMed\]](#)

[36] Sultan I, Rodriguez-Galindo C, Saab R, et al. Comparing children and adults with soft tissue sarcoma: a report from the National Institutes of Health Surveillance, Epidemiology, and End Results program, 1983 to 2005: an analysis of 1,000 patients. *Cancer*, 2009, 115:3537–3547. [\[PubMed\]](#)

[37] Biau DJ, Ferguson PC, Turcotte RE, et al. Adverse effect of older age on the results of surgery for soft tissue sarcoma of the extremities and trunk. *J Clin Oncol*, 2011, 29: 4029–4035. [\[PubMed\]](#)

[38] Parsons HM, Habermann EB, Tuttle TM, et al. Conditional survival of extremity soft tissue sarcoma: results beyond the staging system. *Cancer*, 2011, 117:1055–1060. [\[PubMed\]](#)

[39] Ferrari A, Sultan I, Huang TT, et al. Soft tissue sarcoma across the age spectrum: a population-based study from the Surveillance Epidemiology and End Results database. *Pediatr Blood Cancer*, 2009, 57:943–949. [\[PubMed\]](#)

[40] Lahat G, Dhuka AR, Lahat S, et al. Complete soft tissue sarcoma resection is a valid option for select elderly patients. *Ann Surg Oncol*, 2009, 16:2579–2586. [\[PubMed\]](#)

[41] Al-Refaie WB, Habermann EB, Dudeja V, et al. Extremity soft tissue sarcoma care in the elderly: insights into the generalizability of NCI Cancer Trials. *Ann Surg Oncol*, 2010, 17:100–106. [\[PubMed\]](#)

[42] Smith KB, Indelicato DJ, Knapik JA, et al. Definitive radiotherapy for unresectable young adult nonrhabdomyosarcoma soft tissue sarcoma. *Pediatr Blood Cancer*, 2011, 57:22–27.

[43] Sawamura C, Matsumoto S, Shimoji T, et al. What are risk factors for local recurrence after surgery for grade II–III soft-tissue sarcomas? *Clin Orthop Relat Res*, 2012, 470:700–705. [PubMed]

[44] Chen F, Fujinaga T, Sato K, et al. Significance of tumor recurrence before pulmonary metastasesectomy for soft tissue sarcoma. *Eur J Surg Oncol*, 2009, 35:660–665. [PubMed]

[45] Abatzoglou S, Turcotte RE, Adoubali A, et al. Local recurrence after initial multimodality management of soft tissue sarcoma: is there a way out? *Clin Orthop Relat Res*, 2010, 468:22–27.

[46] Choong PF, Gustafson P, Willen H, et al. Prognosis following locally recurrent soft tissue sarcoma. A staging system based on primary and recurrent tumour characteristics. *International Journal of Cancer*, 1995, 60:33–37. [PubMed]

[47] Ramanathan RC, A' Hern R, Fisher C, et al. Prognostic index for extremity soft tissue sarcomas with isolated local recurrence. *Ann Surg Oncol*, 2001, 8:278–289. [PubMed]

[48] Gustafson P, Akerman M, Alvegard TA, et al. Prognostic information in soft tissue sarcomas: tumor size, vascular invasion and microscopic tumour necrosis—the SIN-system. *Europ J Cancer*, 2003, 39:1568–1576. [PubMed]

[49] Carneiro A, Bendahl PO, Engellau J, et al. A prognostic model for soft tissue sarcomas of the extremities and trunk wall based on size, vascular invasion, necrosis, and growth pattern. *Cancer*, 2011, 117:1279–1287. [PubMed]

[50] Sampo M, Tarkkanen M, Tukiainen E, et al. A web-based prognostic tool for extremity soft tissue sarcomas and its external validation. *Brit J Cancer*, 2012, 106:1076–1082. [PubMed]

专家笔谈

骨肉瘤的诊疗和研究进展

燕太强, 梁伟民, 郭卫. . 中华临床医师杂志: 电子版
2012;6(17):4988–4990.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

二磷酸盐与骨巨细胞瘤的治疗

于秀淳, 孔维庆. . 中华临床医师杂志: 电子版
2012;6(17):4991–4994.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

骨肿瘤临床诊断治疗规范化的重要意义

张清. . 中华临床医师杂志: 电子版
2012;6(17):4995–4996.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

软组织肉瘤的现状与研究进展

李建民, 黄勇兄, 杨强. . 中华临床医师杂志: 电子版
2012;6(17):4997–5000.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

肢体软组织肉瘤的临床预后因素研究进展

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

人工关节置换治疗老年髋部骨折的若干问题

谷贵山. . 中华临床医师杂志: 电子版
2012;6(17):5005-5010.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

膝关节骨性关节炎治疗中股四头肌等长性收缩功能练习的重要作用

黄岚峰. . 中华临床医师杂志: 电子版
2012;6(17):5011-5012.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

关节置换术后深部感染的预防

王寿宇, 阴宝盛, 张卫国. . 中华临床医师杂志: 电子版
2012;6(17):5013-5015.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

髌骨置换在全膝关节置换术中的现状与发展

许正文, 傅永慧. . 中华临床医师杂志: 电子版
2012;6(17):5016-5018.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

脊柱创伤合并脊髓损伤的治疗与康复

张军卫. . 中华临床医师杂志: 电子版
2012;6(17):5019-5021.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

重视颈脊髓损伤后的低钠血症

任山, 西永明. . 中华临床医师杂志: 电子版
2012;6(17):5022-5023.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)

胸椎结核治疗的术式选择

崔旭. . 中华临床医师杂志: 电子版
2012;6(17):5024-5025.

[摘要](#) [FullText](#) [PDF](#) [评论](#) [收藏](#)