

Tropical N	ledicine	and	Нес	alth	
	all it a full	<	A.S.	-18 - 18 M	Japan
Available Issues Ja	panese				
Author:		ADVAN	CED	Volume	Page
Keyword:		Searc	h		
	Add to Favorite/ Articles	Citation Alerts	đ	Add to Favorite Publicatio	ns É

<u>TOP</u> > <u>Available Issues</u> > <u>Table of Contents</u> > Abstract

Tropical Medicine and Health

Vol. 32 (2004), No. 1 p.27

CHILD DEATH AND WOMEN'S OWN EARNING: ASSOCIATED WITH CONDOM USE IN MADAGA

<u>ARMAND RANDRIANARIVO</u>¹⁾, <u>MAMINIRINA RAZAFINA</u> <u>RASOLOMAHARO</u>²⁾, <u>AYAKO NISHIYAMA</u>³⁾, <u>TOMOHIRO</u> <u>WAKASUGI</u>³⁾

- 1) La Direction Inter-Régionale du Développement Sanitaire de M
- 2) Le Centre Hospitalier Universitaire de Mahajanga
- 3) Department of Epidemiology, Research Institute, International 1
- 4) Division of Epidemiology, National Institute for Child Health an

(Accepted December 24, 2003)

Abstract: The prevalence of human immunodeficiency virus (HIV) Madagascar than in continental African countries, but recently it has identify factors that facilitate or deter condom use among married c cross-sectional study was conducted by means of a questionnaire s attending 10 health facilities for antenatal care and child care. Inforr and socioeconomic factors was obtained, and logistic regression an identify factors contributing to condom use. Child death and womer statistically significant factors for condom use, with an odds ratio of interval (CI): 1.2-3.5) for the former and 1.6 (95% CI: 1.1-2.3) for regression analysis. The promotion of economic independence amo reduction of child mortality deserve greater attention in the planning policy in Madagascar.

Key words: Madagascar, Condom use, Child health, Women's se

[PDF (33K)] [References]

Downlo

To cite this article:

ARMAND RANDRIANARIVO, MAMINIRINA RAZAFINAN RASOLOMAHARO, AYAKO NISHIYAMA, TOMOHIRO S WAKASUGI: "CHILD DEATH AND WOMEN'S OWN EARN ASSOCIATED WITH CONDOM USE IN MADAGASCAR". Health, Vol. **32**, pp.27-30 (2004).

doi:10.2149/tmh.32.27