

绿茶多酚提取纯化工艺及药理作用

Extraction and purification technologies of green tea polyphenols and its pharmacological actions

张思佳;黄璐;牟峰;

摘要:

绿茶多酚是绿茶的主要有效成分,多年研究发现绿茶多酚具有抗氧化、抗癌、抗肥胖、抗紫外线、抗龋齿等药理作用,且对神经退行性疾病和心血管系统疾病有一定的防治作用。本文对绿茶多酚近年来的提取纯化工艺及药理作用进行阐述,为绿茶的进一步开发提供参考。

关键词: 绿茶;多酚;提取纯化工艺;药理作用;抗氧化剂

基金项目: 武汉市首批“黄鹤英才计划”人才资助项目(武人才[2011]2号)

通讯作者: 张思佳;

Email:**参考文献:**

- [1]SANG S,LAMBERT JD,HO CT,et al.The chemistry andbiotransformation of tea constituents[J].Pharmacol Res,2011,64(2):87-99.
- [2]GORTNER RA.The origin of the custom of tea drinking in China[J].Science,1918,47(1211):269-270.
- [3]TATTI S,STOCKFLETH E,BEUTNER KR,et al.PolyphenonE:a new treatment for external anogenital warts[J].Br J Dermatol,2010,162(1):176-184.
- [4]STOCKFLETH E,MEYER T.The use of sinecatechins(polyphenon E)ointment for treatment of external genital warts[J].Expert Opin Biol Ther,2012,12(6):783-793.
- [5]XI J,SHEN D,ZHAO S,et al.Characterization of polyphenolsfrom green tea leaves using a high hydrostatic pressure extraction[J].Int J Pharm,2009,382(1-2):139-143.
- [6]JUN X,SHUO Z,BINGBING L,et al.Separation of majorcatechins from green tea by ultrahigh pressure extraction[J].Int J Pharm,2010,386(1-2):229-231.
- [7]XI J,SHEN DJ,LI Y,et al.Micromechanism of ultrahighpressure extraction of active ingredients from green tea leaves[J].Food Control,2011,22(8):1473-1476.

扩展功能**● 本文信息**[PDF\(330K\)](#)**参考文献****● 服务与反馈****引用本文****● 本文关键词**

相关文章

[绿茶,多酚](#)[提取纯化工](#)[艺](#)[药理作用](#)[抗氧化剂](#)**● 本文作者相**[关文章](#)[张思佳](#)[黄璐](#)[牟峰](#)**● 中国知网**[张思佳](#)

[8]曾亮,罗理勇,官兴丽.超高压提取茶叶内含物工艺优化[J].食品科学,2011,32(6):85-88.

[9]ETOH H,OHTAKI N,KATO H,et al.Sub-critical waterextraction of residual green tea to produce a roasted green tea-like extract[J].Biosci Biotechnol Biochem,2010,74(4):858-860.

[10]王朝瑾,马红青,陈温娴.超临界萃取茶叶中茶多酚的提取与应用[J].分析科学学报,2009,25(3):281-284.

[11]TANG WQ,LI DC,LV YX,et al.Extraction and removal of caffeine from green tea by ultrasonic-enhanced supercritical fluid[J].J Food Sci,2010,75(4):C363-C368.

[12]WANG K,LIU Z,HUANG JA,et al.Preparative isolation and purification of theaflavins and catechins by high-speed counter-current chromatography[J].J Chromatogr B Analyt Technol BiomedLife Sci,2008,867(2):282-286.

[13]张扬,江燕斌,黄少烈,等.高速逆流色谱提纯茶叶粗提物中EGCG单体研究[J].中药材,2009,32(5):784-787.

[14]NKHILI E,TOMAO V,EL HAJJI H,et al.Microwave-assistedwater extraction of green tea[J].Polyphenols Phytochem Anal,2009,20(5):408-415.

[15]LI DC,JIANG JG.Optimization of the microwave-assistedextraction conditions of tea polyphenols from green tea[J].Int JFood Sci Nutr,2010,61(8):837-845.

[16]郑海燕,张建新,刘丽丽,等.超声波提取绿茶多酚的工艺研究[J].西北农业学报,2009,18(2):261-264.

[17]黄秋森,姜能座,沙攻,等.离子沉淀法工业化生产茶多酚的初步试验[J].现代食品科技,2008,24(9):924-926.

[18]黄秋森,胡娟,沙攻,等.树脂静态吸附法生产茶多酚初步试验[J].福建林业科技,2009,36(1):35-37,86.

[19]黄璐,牟峰,张思佳,等.药物组合物:中国,201210088224.3[P].2012-09-05.

[20]JOYETAKINWHITE P,TRIBOUT H,BARON E.Protectivemechanisms of green tea polyphenols in skin[J].Oxid Med Cell Longev,2012:560682.

[21]BRCKNER M,WESTPHAL S,DOMSCHKE W,et al.Greentea polyphenol epigallocatechin-3-gallate shows therapeuticantioxidative effects in a murine model of colitis[J].J CrohnsColitis,2012,6(2):226-235.

[22]李学军.多靶点药物研究及应用[M].北京:人民卫生出版社,2011:512-523.

[23]JANKUN J,SELMAN SH,SWIERCZ R,et al.Why drinkinggreen tea could prevent cancer[J].Nature,1997,387(6633):561.

[24]YUAN JM,SUN C,BUTLER LM.Tea and cancer prevention:epidemiological studies [J].Pharmacol Res,2011,64(2):123-135.

[25]STOCKFLETH E.Use of a polyphenol for the treatment of acancerous or precancerous lesion of the skin:US,20040574422[P].2011-03-22.

[26]AHN WS,YOO J,HUH SW,et al.Protective effects of greentea extracts(polyphenon E and EGCG)on human cervicallesions[J].Eur J Cancer Prev,2003,12(5):383-390.

[27]ZHANG Q,FU H,PAN J,et al.Effect of dietary polyphenon Eand EGCG on lung tumorigenesis in A/J Mice[J].Pharm Res,2010,27(6):1066-1071.

[28]LUBET RA,YANG CS,LEE MJ,et al.Preventive effects ofpolyphenon E on urinary bladder and mammary cancers in ratsand correlations with serum and urine levels of tea polyphenols[J].Mol Cancer Ther,2007,6(7):2022-2028.

[29] SELMAN SH, KECK RW. A comparative study of the inhibiting effects of mitomycin C and polyphenolic catechins on tumor cell implantation/growth in a rat bladder tumor model[J]. J Urol, 2011, 186(2):702-706.

[30] NGUYEN MM, AHMANN FR, NAGLE RB, et al. Randomized, double-blind, placebo-controlled trial of polyphenon E in prostate cancer patients before prostatectomy: evaluation of potential chemopreventive activities[J]. Cancer Prev Res, 2012, 5(2):290-298.

[31] BABU PV, LIU D. Green tea catechins and cardiovascular health: an update[J]. Curr Med Chem, 2008, 15(18):1840-1850.

[32] ISLAM MA. Cardiovascular effects of green tea catechins: progress and promise [J]. Recent Pat Cardiovasc Drug Discov, 2012, 7(2):88-99.

[33] 李琼,李勇.绿茶多酚防治老年神经退行性疾病研究进展[J].卫生研究,2010,39(1):123-126.

[34] 徐艳.绿茶多酚对慢性脑低灌注大鼠认知功能损害影响的实验研究[D].武汉:武汉大学,2010.

[35] XU JY, WU LY, ZHENG XQ, et al. Green tea polyphenols attenuating ultraviolet B-induced damage to human retinal pigment epithelial cells in vitro[J]. Invest Ophthalmol Vis Sci, 2010, 51(12):6665-6670.

[36] CHEN YK, CHEUNG C, REUHL KR, et al. Effects of green tea polyphenol(-)-epigallocatechin-3-gallate on newly developed high-fat/Western-style diet-induced obesity