Visits:

Sponsors >>

99,563



Books Conferences News About Us Home Journals Jobs Home > Journal > Medicine & Healthcare > OJST **OJST Subscription** Indexing View Papers Aims & Scope Editorial Board Guideline Article Processing Charges Most popular papers in OJST OJST> Vol.2 No.4, December 2012 About OJST News OPEN ACCESS Frequently Asked Questions Bilateral double teeth—A case report PDF (Size: 178KB) PP. 366-368 DOI: 10.4236/ojst.2012.24063 Recommend to Peers Author(s) Recommend to Library Sandip Kulkarni, S. M. Meghana, Monica Yadav **ABSTRACT** Contact Us Developmental anomalies can occur as a result of conjoining or twinning defects. These include fusion, gemination and concrescence. Such anomalies occur more often in the deciduous than in the permanent dentition and only a few cases involving molar and premolar teeth have been reported in the literature. Downloads: 39,434

## **KEYWORDS**

Developmental Anomaly; Fusion; Gemination; Endodontic Treatment

observation along with radiographic examination was used to arrive at a diagnosis.

## Cite this paper

Kulkarni, S., Meghana, S. and Yadav, M. (2012) Bilateral double teeth—A case report. *Open Journal of Stomatology*, 2, 366-368. doi: 10.4236/ojst.2012.24063.

Cases of bilateral double teeth are less frequent than unilateral and prevalence seems to be higher in the anterior region. The present article is a rare case report of simultaneous occurrence of double teeth in

permanent dentition involving the mandibular premolar-molar teeth in a 45-year-old male patient. Clinical

## References

- [1] Pereira, A.J., Fidel, R.A. and Fidel, S.R. (2000) Maxillary lateral incisor with two root canals: Fusion, gemination or dens invaginatus. Brazilian Dental Journal, 11, 141-146.
- [2] Chalakkal, P. and Thomas, A.M. (2009) Bilateral fusion of mandibular primary teeth. Journal of Indian Society of Pedodontics and Preventive Dentistry, 27, 108-110. doi:10.4103/0970-4388.55336
- [3] O' Reilly, P.M.R. (1990) Structural and radiographic evaluation of four cases of tooth fusion. Australian Dental Journal, 35, 226-229. doi:10.1111/j.1834-7819.1990.tb05398.x
- [4] Hülsmann, M., Bahr, R. and Grohmann, U. (1997) Hemisection and vital treatment of a fused tooth— Literature review and case report. Dental Traumatology, 13, 253-258. doi:10.1111/j.1600-9657.1997.tb00051.x
- [5] De Velasco, L.F., Araujo, F.B., Ferreira, E.S. and Velasco, L.E. (1997) Esthetic and functional treatment of a fused permanent tooth: A case report. Quintessence International, 28, 677-680.
- [6] Nunes, E., Moraes, I.G., Novaes, P.M.O. and Sousa, S.M.G. (2002) Bilateral fusion of mandibular second molars with supernumerary teeth: Case report. Brazilian Dental Journal, 13, 137-141.
- [7] Braz Turell, I.L. and Zmener, O. (1999) Endodontic therapy in a fused mandibular molar. Journal of Endodontics, 25, 208-209.
- [8] Türkaslan, S., G?k?e, H.S. and Dalk?z, M. (2007) Esthetic rehabilitation of bilateral geminated teeth: A case report. European Journal of Dentistry, 1, 188-191.
- [9] Terezhalmy, G.T. and Riley, C.K. (1999) Gemination/ fusion. Quintessence International, 30, 437.
- [10] Milano, M., Seybold, S.V., McCandless, G. and Cammarata, R. (1999) Bilateral fusion of the mandibular primary incisors: Report of case. ASDC Journal of Dentistry for Children, 66, 280-282.

[11] Neves, A.A., Neves, M.L.A. and Farinhas, J.A. (2002) Bilateral connation of permanent mandibular incisors: A case report. International Journal of Paediatric Dentistry, 12, 61-65. doi:10.1046/j.0960-7439.2001.00324.x

Home | About SCIRP | Sitemap | Contact Us

Copyright © 2006-2013 Scientific Research Publishing Inc. All rights reserved.