

E Abstract

Full-Text PDF

Go

About Us

International Journal of Biomedical Imaging

About this Journal Submit a Manuscript Table of Contents



Abstracting and Indexing

- Aims and Scope
- Article Processing Charges
- Articles in Press
- Author Guidelines
- Bibliographic Information
- Contact Information
- Editorial Board
- Editorial Workflow
- Reviewers Acknowledgment
- Subscription Information

Open Special Issues

- Published Special Issues
- Special Issue Guidelines

Call for Proposals for Special Issues

International Journal of Biomedical Imaging Volume 2007 (2007), Article ID 93479, 10 pages doi:10.1155/2007/93479

Research Article

## Registration of Brain MRI/PET I mage Adaptive Combination of Intensity ar Field Mutual Information

	Dinked References
es Based on nd Gradient	How to Cite this Article
	O Complete Special Issue

Jiangang Liu<sup>1</sup> and Jie Tian<sup>1,2</sup>

<sup>1</sup>Medical Image Processing Group, Key Laboratory of Complex Systems and Intelligence Science, Institute of Automation, Chinese Academy of Science, P.O. Box 2728, Beijing 100080, China <sup>2</sup>Life Science Center, Xidian University, Xi'an, Shaanxi 710071, China

Received 10 May 2006; Revised 13 January 2007; Accepted 22 January 2007

Academic Editor: Robert R. Edelman

## Abstract

Traditional mutual information (MI) function aligns two multimodality images with intensity information, lacking spatial information, so that it usually presents many local maxima that can lead to inaccurate registration. Our paper proposes an algorithm of adaptive combination of intensity and gradient field mutual information (ACMI). Gradient code maps (GCM) are constructed by coding gradient field information of corresponding original images. The gradient field MI, calculated from GCMs, can provide complementary properties to intensity MI. ACMI combines intensity MI and gradient field MI with a nonlinear weight function, which can automatically adjust the proportion between two types MI in combination to improve registration. Experimental results demonstrate that ACMI outperforms the traditional MI and it is much less sensitive to reduced resolution or overlap of images.

Copyright © 2009 Hindawi Publishing Corporation. All rights reserved.