

傅@B B B 0FB % (D話' = 1驕: B visible*駕
 3 > +B #style.visibility< *Ph+ [p% (D駢' =傅
 @B B B 0FB % (D話' = 1驕: B visible*駕
 3 > +B #style.visibility< *Ph+ p % (D駢' = % (D鈔'
 = % (D駢' =傅@B B B B 0FB % (D話'
 = 1驕: B visible*駕 3 > +B #style.visibility< *Ph+ %
 (+8+0+0+ +Ph+0+ +Ph+ PPh € 0+ 餓+P
 餓↑ s *+€ 餓
 00|€g=]

] 7W , \$ 0 鶲 horizontal

integration Control (merge & acquisition) the competitors Advantages and disadvantages In such cases: Monopolize the market in certain area Great potential of the industry Scale economy Have the necessary funds and HR ^+ . + t+ . □ Ph, Ph+↑t Ph jp %

餓↑ 0 師 藝h ?L+ € € 駢€ 烫 脖
 f+ PPT10 > + . +])V D 複' g= = @B D駢'
 = A ?% , (< + + 0% , (< + + V D 樓 L = % (D 駛
 = % (D駢' =傅@B B B B 0FB % (D話'
 = 1驕: B visible*駕 3 > +B #style.visibility< *Ph+ Ph E% (D 駢'
 駢: B visible*駕 3 > +B #style.visibility< *Ph+ Ph E% (D 駢'
 = % (D 駢' = % (D駢' =傅

@B B B 0FB % (D話' = 1驕: B visible*駕
 3 > +B #style.visibility< *Ph+ Ph Eb% (D 滴' = % (D 駛
 = % (D駢' =傅@B B B B 0FB % (D話'
 = 1驕: B visible*駕 3 > +B #style.visibility< *Ph+ Ph bq% (D 駛
 駢: B visible*駕 3 > +B #style.visibility< *Ph+ Ph bq% (D 駛'
 駢: B visible*駕 3 > +B #style.visibility< *Ph+ Ph % (D 駢'
 傅@B B B 0FB % (D話' = 1驕: B visible*駕

3 > +B #style.visibility< *Ph+ Ph % (D駢' =傅
 @B B B 0FB % (D話' = 1驕: B visible*駕
 3 > +B #style.visibility< *Ph+ Ph % (D駢' =傅
 @B B B 0FB % (D話' = 1驕: B visible*駕
 3 > +B #style.visibility< *Ph+ Ph % (+8+0+0+ +Ph+0+ +Ph+ € 0+ 餓+P
 € 0+ j+ 餓+P 痘+ (餓↑ € ?= 0e+ 楊 0e+ 楊
 # 0e+ + Y+ < +\$ 0

= J 餓↑ 師 藝h ?
 □ Ph+ j+ 'rg+: | 餓↑ 0 師 藝h ?
 L+ € € 駢€ 烫 脖 = PPT10 . +])V D 複' =
 @B D 駢' = @B A ?% , (< + + 0% , (< + + V D 樓 L =
 = % (D 駛 L = % (D駢' =傅

@B B B 0FB % (D話' = 1驕: B visible*駕
 3 > +B #style.visibility< *Ph+ Ph b% (D駢' =傅
 @B B B 0FB % (D話' = 1驕: B visible*駕
 3 > +B #style.visibility< *Ph+ Ph b% (D 滴' = % (D 駛
 = % (D駢' =傅@B B B 0FB % (D話'
 = 1驕: B visible*駕 3 > +B #style.visibility< *Ph+ Ph />% (D 駛

駢: B visible*駕 3 > +B #style.visibility< *Ph+ Ph b% (D 駢'
 傅@B B B 0FB % (D話' = 1驕: B visible*駕
 3 > +B #style.visibility< *Ph+ Ph b% (D駢' =傅
 @B B B 0FB % (D話' = 1驕: B visible*駕
 3 > +B #style.visibility< *Ph+ Ph % (+8+0+0+ +Ph+0+ +Ph+ Z
 € 0+ L+ 餓+P 痘+ (餓↑ c \$0+ € Z

€ 0+ L+ 餓+P 痘+ (餓↑ c \$0+ € Z
 € 0+ L+ 餓+P 痘+ (餓↑ c \$0+ € Z

師 蕉h ?^L + € 號€3 烫 脖 PPT10 . + 梧
EAVD . ?' = @P B D 紗 小 = @P B A ?% , (< + 0%
, (< + J ▼D 樓 L = % (D 駛 L = % (D 驕 L = 傅
@P B B B 0FB % (D 話 ' = 1 驕 : B visible * 驕
3 > +B #L style.visibility < *P h □ ↑▼% (D 驕 L = 傅
@P B B B 0FB % (D 話 ' = 1 驕 : B visible * 驕
3 > +B #L style.visibility < *P h □ ↑▼% (D) , = % (D 驕 ,
= % (D 驕 L = 傅 @P B B B 0FB % (D 話 ' = % (D 話 ,
= 1 驕 : B visible * 驕 3 > +B #L style.visibility < *P h □ ↑+ 9% (D
驕 L = 傅 @P B B B 0FB % (D 話 ' = 1
驕 : B visible * 驕 3 > +B #L style.visibility < *P h □ ↑+ 9% (D 驕 L =
傅 @P B B B 0FB % (D 話 ' = 1 驕 : B visible * 驕
3 > +B #L style.visibility < *P h □ ↑Wn▼% (D 驕 L = 傅
@P B B B 0FB % (D 話 ' = 1 驕 : B visible * 驕
3 > +B #L style.visibility < *P h □ ↑n % (D 驕 L = 傅
@P B B B 0FB % (D 話 ' = 1 驕 : B visible * 驕
3 > +B #L style.visibility < *P h □ ↑ % (D 驕 L = 傅
@P B B B 0FB % (D 話 ' = 1 驕 : B visible * 驕
3 > +B #L style.visibility < *P h □ ↑ % (+80+0+ +□↑rr0r + +rrr \$ 17
€ 0\$ 館 r 8\$ \$ 8 (r 8 | 魤 8 S □ € : ←
' } ↳ 饪 8 0 師 蕉h ?^L + € 號€3 櫃櫈
8 0 PPT10 . € 8 | 魤 8 S □ € : ←
< | 魤 < 7 醫 r 8 | 魤 8 S □ € : ←
J □ | A r * □ € : ←
w Y 7 饪 8 0 師 蕉h ?^L + € 號€3 櫃櫈
€ 號€3 櫃櫈 8 0 PPT10 . € 8 | 魤 8 S □ € : ←
餉 r (r 館 s * □ € : ←
黏 c \$ □ € 鐘 館 r 8 | 魤 8 S □ € : ←
餳 0 師 蕉h ?^L + € 號€3 烫 脖 4
, PPT10 . + J ▼D 瞠 , = @P B D 駕 , =
= % (D 驕 L = 傅 @P B B B 0FB % (D 話 ' = % (D 駛 L ,
= 1 驕 : B visible * 驹 3 > +B #L style.visibility < *P h □ L ! ! G% (D
驕 L = 傅 @P B B B 0FB % (D 話 ' = 1
驕 : B visible * 驹 3 > +B #L style.visibility < *P h □ L ! ! G% (D 樓 L ,
= % (D 駛 L = % (D 驕 L = 傅
@P B B B 0FB % (D 話 ' = 1 驕 : B visible * 驹
3 > +B #L style.visibility < *P h □ L GZ% (D 驕 L = 傅
@P B B B 0FB % (D 話 ' = 1 驕 : B visible * 驹
3 > +B #L style.visibility < *P h □ L Z % (D 樓 L = % (D 駛 L ,
= % (D 驕 L = 傅 @P B B B 0FB % (D 話 ' = % (D 話 ,
= 1 驕 : B visible * 驹 3 > +B #L style.visibility < *P h □ L %
(D 駕 L = 傅 @P B B B 0FB % (D 話 ' = 1
驕 : B visible * 驹 3 > +B #L style.visibility < *P h □ L % (+80+0+ +□↑
rr0r + +rrr \$ 17
€ 0\$ 鴟 r 8 | 魤 8 S □ € : ←
' } ↳ 黏 \$ 7 c \$ □ € 館 r 8 | 魤 8 S □ € : ←
rrr L 師 蕉h ?^L + € 號€3 烫 脖 0 | PPT10 \ + J ▼D 瞠
, = @P B D 穩 , = @P B A ?% , (< + 0% , (+ J ▼D 瞠
< + J ▼D 樓 L = % (D 駛 L = % (D 驕 L = 傅
@P B B B 0FB % (D 話 ' = 1 驕 : B visible * 驹
3 > +B #L style.visibility < *P h □ L \$6% (D 驕 L = 傅
@P B B B 0FB % (D 話 ' = 1 驕 : B visible * 驹
3 > +B #L style.visibility < *P h □ L \$6% (D , = % (D 翅 ,

= % (D 駢' = 傅@B B B B 0FB % (D 話' = % (D 駢' = 1
 = 1 駢: B visible*駢3 > +B #style.visibility< *\$n \$n% (D 話' = 1
 駢: B visible*駢3 > +B #style.visibility< *\$n \$n% (D 駢' = 1 駢: B visible*駢
 傅@B B B B 0FB % (D 話' = 1 駢: B visible*駢
 3 > +B #style.visibility< *\$n \$n% (D 話' = 1 駢: B visible*駢
 @B B B B 0FB % (D 話' = 1 駢: B visible*駢
 3 > +B #style.visibility< *\$n \$n% (+8+0+ +\$n 0 + + +
 € 0 環境 % , 痘, + NPD 譚, (D 積 D 館
 G@8€ 哇嚙* 1 ?_Wide upward diagonal+ 1|5
 依 D 餿 G@8€ 哇嚙 1 ?_Narrow vertical+ 1|5
 餉 D < G@8 1 ?_+ 1|5 餉 D
 < G@8 1 ?_+ 1|6!! 餉 D
 < G@8 1 ?_+ 1|=!! 广↑ D 餌€顫 xa↑ xa↑
 養 D 餌€餚 xa↑ xa↑ ?_+ 1 餌 Value chain activity 0
 養 D 餌€餚 xa↑ xa↑ ?_+ H↑ H↑餌B↑ D@
 養 D 餌€餚 xa↑ xa↑ ?_+ H↑ H↑餌B↑ D@
 養 D 餌€餚 xa↑ xa↑ ?_+ 1 餌 purchase 0 1 □ 鹽↑
 養 D 餌€餚 xa↑ xa↑ ?_+ 1 餌 purchase 0 1 □ 鹽↑
 D 餌€餚 xa↑ xa↑ ?_+ 1 餌 operation 0 1 □ 鹽↑
 D 餌€餚 xa↑ xa↑ ?_+ 1 餌 operation 0 1 □ 鹽↑
 D 餌€餚 xa↑ xa↑ ?_+ 1 餌 channel 0 1 □ 鹽↑
 D 餌€餚 xa↑ xa↑ ?_+ 1 餌 channel 0 1 □ 鹽↑
 餉 D 餌€餚 xa↑ xa↑ ?_+ 1 餌 ?
 餉 D < G@8 1 ?_+ Q 5 餌 D 餌
 G@8€ 哇嚙 1 ?_+ Q 5 Solid diamond+ Q 5 餌
 D 餌 G@8€ 哇嚙 1 ?_+ Q 5 Solid diamond+ Q 5 餌
 6+!! 餌 D 餌 G@8€ 哇嚙 1 ?_+ Q 5 Solid diamond+ Q 5 餌
 diamond+ Q ==!! 餌 D < G@8 1 ?_+ Q 5 Solid diamond+ Q 5 餌
 < 餌 D < G@8 1 ?_+ Q 5 Solid diamond+ Q 5 餌
 餌 G@8€ 哇嚙 1 ?_+ Q 5 Solid diamond+ Q 5 餌
 餌 G@8€ 哇嚙 1 ?_+ Q 5 Solid diamond+ Q 5 餌
 餌 G@8€ 哇嚙* 1 ?_+ Wide upward diagonal+ 5
 餌 D < G@8 1 ?_+ 5 W 餌 D
 < G@8 1 ?_+ 5 W 餌 !D 餌 G@8€
 餌 G@8€ 哇嚙 1 ?_+ 5 W 餌 "D 餌
 餌 G@8€ 哇嚙 1 ?_+ Solid diamond+ 6+!!W 餌 #D
 餌 G@8€ 哇嚙 1 ?_+ Solid diamond+ ==!! W 餌
 \$D < G@8 1 ?_+ Solid diamond+ =!! W 餌
 G@8€ 哇嚙 1 ?_+ Solid diamond+ %D 餌
 &D < G@8 1 ?_+ Solid diamond+ 5 | 餌 %D
 < G@8 1 ?_+ 5 | 餌 (D
 < G@8 1 ?_+ 6+!! | 餌)D
 < G@8 1 ?_+ ==!! | 黏 餌 *D!!
 餌€餚 +D1 餌€嘴 xa↑ xa↑ ?_+ 1 餌€顫 xa↑ xa↑ ?
 餌€餚 business A 0 1 □ 鹽↑ , D1 餌€顫 xa↑ xa↑
 餌€餚 business A 0 1 □ 鹽↑ , D1 餌€顫 xa↑ xa↑
 -D1 餌€鵝 xa↑ xa↑ ?_+ 1 餌€餚 0 1 □ 鹽↑
 餌€鵝 business C 0 1 □ 鹽↑ . D1 餌€顫 xa↑ xa↑

					business D	0□ 1□ 『』鶴↑	
/D ₁	餒	xa ₁	xa ₁	?778	餌	?778	餌
	business E	0□ 1□ 『』	餒	P _T	OD□!!	P _T	皎↑
1D ₁	饅	€	哩 ¹ 嚙*	1	?77Wide upward diagonal		
2D ₁	錢€	xa ₁	xa ₁	?778	10 771□ 』	0□ 『』俊↑	3D ₁ 饪
饊	Collective purchase to increase bargaining power			1	?77Narrow vertical	d L 』	4D ₁
€	哩 ¹ 嚙						Common
錢€ !	xa ₁	xa ₁	?778	餌↑	5D ₁ 餌	€	哩 ¹ 嚙
technology and share R&D	0 77 □ 』			P _T	餌↑	6D ₁ 錢€ +	xa ₁ xa ₁
L	1	?77Solid diamond	?778	P _T	餌	XCommon brand	哩 ¹ 嚙
promotion or service	-0+ 7Z ₁ - □ 』	\$ ▼▼ 』	鶴↑	7D ₁	6		1
病	疗↓	8D ₁	錢€ 5	xa ₁	xa ₁		
促	P _T	餌	No strategic connection	0 77↑ □ 『』鶴 』	餌		
推	9D□!!			餌B ₁	:D ₁ 饪		
p		?778			餌B ₁	;D ₁ 養	
p		?778			餌B ₁	D ₁ 饪	
p		?778			餌B ₁	?D ₁ 養	
p		?778			餌B ₁	@D ₁ 養	
p		?778			<78 餌		AD□!!
餌B ₁	CD ₁	餌B ₁	BD ₁ 饪	p			
養		CD ₁	養	p	?778	餌B ₁	DD ₁
	p			p	餌B ₁	ED ₁ 養	
	p			p	<78 餌		FD□!!
餌B ₁	HD ₁	餌B ₁	GD ₁ 饪	p	?778	餌B ₁	ID ₁
養		HD ₁	養	p	餌B ₁	JD ₁ 養	
	p			p	<78 餌		KD□!!
餌B ₁	MD ₁	餌B ₁	LD ₁ 饪	p	?778	餌B ₁	ND ₁
養		MD ₁	養	p	餌B ₁	OD ₁ 養	
	p			p	?778	餌B ₁	師 喬
h	? ¹ 『』	€ 號E3 烫 脖	y	PPT10	D s * =	師	喬
@B	+ ¹ (『)	€ 0 』 L 』 餌	(『)	(『)	(『) Y+ 』 D =	c	=
\$□€			<78+\$	0			
0		師	喬h	? ¹ 『』	養↑ D s * =		
.+梧EA▼D預	,	= @B	D穹	,	= @B A		
< + ¹ 0%, (< + ¹ ▼D樓 ¹	= % (D駛 ¹	= % (D駕 ¹	=
傅@B	B	B	0FB	% (D駕	= 1駕:	B visible 』 駕
3	> +B # ¹ style.visibility < *P _H ▷ (-▼% (D駕	D駕 ¹	= 傅			
@B	B	B	0FB	% (D駕	= 1駕:	B visible 』 駕
3	> +B # ¹ style.visibility < *P _H ▷ (-P▼% (D駕	D	= % (D駕		D翔
= % (D駕 ¹	= 傅@B	B	B	0FB	% (D駕
= 1駕:	B	visible 』 駕3	> +B # ¹ style.visibility < *P _H ▷ (PW% (D駕 ¹	= 1		D駕 ¹
駕 ¹	= 傅@B	B	B	B	0FB	% (D駕 ¹
駕:	B	visible 』 駕3	> +B # ¹ style.visibility < *P _H ▷ (W% (D駕 ¹			=
傅@B	B	B	0FB	% (D駕	= 1駕:	B visible 』 駕
3	> +B # ¹ style.visibility < *P _H ▷ (% (D駕	D駕 ¹	= 傅			
@B	B	B	0FB	% (D駕	= 1駕:	B visible 』 駕
3	> +B # ¹ style.visibility < *P _H ▷ (% (+80+0+ + (rr0r + + (『)	D駕	D駕 ¹	= 傅			
€ 0 』 L 』 餌	, 『)	, 『) 黏	, 『) 黏	, 『) \$□€ 愿			
rrrL		<78+\$	0				
師	喬h	? ¹ 『』	€ 號E3 烫 脖		PPT10 \		
,	= @B	D穹		= @B A	?% , (
< + ¹ ▼D樓 ¹	= % (D駛 ¹	= % (D駕 ¹	= 傅		

@FB B B B 0FB % (D 話' = 1 驍: B visible* 驍
 3 > +B #!style.visibility< *Ph □, □% (D 驍' = 傅
 @FB B B B 0FB % (D 話' = 1 驍: B visible* 驍
 3 > +B #!style.visibility< *Ph □, □% (D , = % (D 話' D 翱,
 = % (D 驍' = 傅 @FB B B B 0FB % (D 話'
 = 1 驍: B visible* 驍
 3 > +B #!style.visibility< *Ph □, +B #!style.visibility< *Ph □, Ch% (D 驍
 , = 傅 @FB B B B 0FB % (D 話' = 1
 驍: B visible* 驍 3 > +B #!style.visibility< *Ph □, h % (D 驍', =
 傅 @FB B B B 0FB % (D 話' = 1 驍: B visible* 驍
 3 > +B #!style.visibility< *Ph □, % (+8#0+0L+ +Ph0R + +PhR
 € 0R J 鵠 R 0R 餉 R (0R 餉 R 0R S *J0+€+
 'L} L} 黏 R 0R c \$0+€V
 R R L R f L v J <R+J\$ R 0 餉 R 0 0 師
 蕉 h ?L R + € E3 烫 脖 i R a R PPT10 A R . J + J 鋼 W D 摔 ,
 = @FB D 驍 , = @FB A ?%, (< + J 鋼 摔 , (= 傅
 < + J 鋼 摔 , = % (D 驍' = % (D 驍' = 傅
 @FB B B B 0FB % (D 話' = 1 驍: B visible* 驍
 3 > +B #!style.visibility< *Ph R 0% (D 驍' = % (D 話'
 = % (D 驍' = 傅 @FB B B B 0FB % (D 話'
 = 1 驍: B visible* 驍 3 > +B #!style.visibility< *Ph R 0% (D
 傅 , = % (D 驍' = % (D 驍' = 傅
 @FB B B B 0FB % (D 話' = 1 驍: B visible* 驍
 3 > +B #!style.visibility< *Ph R 0% (+8#0+0L+ +Ph0R + +PhR V R
 0R R 餉 R 0R 餉 R (L 餉 R L 餉 R 1
 ?R H 鶯 R L 3 R 魏 R € 猥 R xar R xar
 ?R H @ R € E3 烫 脖 r H R d { (7] 9LHs 豁 V 嘴 钝 ^
 0 蕉 h 師 ?L R + € E3 烫 脖 r H R d { (7] 9LHs 豁 V 嘴 钝 ^
 酱 d Q 18 8P R (€ € / 0 DArialNew
 RomanT T | 軟 !x: 0 軟 ! " + D 錢 S0alNew RomanT T |
 T 在屏幕上显示▲ L % R O L L R L L L L Arial | 宋体 | Times New Roman 默认设计模
 版 ▼ Session 5 Corporate Strategies ▲ Corporate Strategies ▲ Integration Strategies ▲ Vertical Integration
 幻灯片 5 幻灯片 6 Ansoff matrix ▲ Intensive Strategies ▲ Diversification Strategies 幻灯片 10 幻灯片
 11 ▼ Withdrawal strategy + ▲ 已用的字体 ▲ 演示文稿设计模板 ▲ 幻灯片标题 ▲ ↑ 9 ↓ - ▲ 鋼 摆 %
 R R 0q q - R . R ↑ R R R 2 B ▼ Corporate Strategies ▲ ▲ ▲ ▲ ▲ . R -
 Root Entry | R 嶺 d 汝 噢) ? 圖 Pictures ↑ R
 RfCurrent User → | SummaryInformation(R R

tion Strategies 幻灯片 10 幻灯片 11 ▼ Withdrawal strategy + ▲ 已用的字体
 ▲ 演示文稿设计模板 ▲ 幻灯片标题 ▲ ↑ 9 ↓ - ▲ 鋼 摆 % ▲ USER ▲ USER ▲ . R ↑ R R R 2
 B ▼ Corporate Strategies ▲ ▲ ▲ ▲ ▲ . R - 胀 謹 . ← + 撥 ▲ +,
 0 T 在屏幕上显示▲ L % R O L L R L L L L Arial | 宋体 | Times New Roman 默认设计模板 ▼ Session 5 Corporate Strategies ▲ Corporate

= 1驕: B visible*駕3 > +B #^style.visibility< *¶□,9% (D
 駕: = 餉@B B B B 0FB % (D話' = 1
 駕: B visible*駕3 > +B #^style.visibility< *¶□,9X% (D ,
 = % (D翹' = % (D駕' = 傅
 @B B B B 0FB % (D話' = 1驕: B visible*駕
 3 > +B #^style.visibility< *¶□,Xg% (D駕' = 傅
 @B B B B 0FB % (D話' = 1驕: B visible*駕
 3 > +B #^style.visibility< *¶□,g % (D駕' = 傅
 @B B B B 0FB % (D話' = 1驕: B visible*駕
 3 > +B #^style.visibility< *¶□, % (D駕' = 傅
 @B B B B 0FB % (D話' = 1驕: B visible*駕
 3 > +B #^style.visibility< *¶□, % (+8+0++□,rr0r++r+
 € 0\$ J 鴟' 0\$ 請' (0|↑ 鐘↑ 0_↑s *↓€+
 rrrJ M^rg+g|<黏↑ 0_↑c \$↓€V
 rrrJ v↑ <↓\$↑ 0 餸↑ 0 0
 師 蔽h ?↑ + € 號3 烫 脖 i↑ a↑ PPT10 A .↓+↓鉛W▼D攀
 , = @B D駕' = @B A ?%, (< +↓0%, ,
 (< +↓D傅' = % (D秒' = % (D駕' = 傅
 @B B B B 0FB % (D話' = 1驕: B visible*駕
 3 > +B #^style.visibility< *¶□,0% (D傅' = % (D秒'
 = % (D駕' = 傅@B B visible*駕3 > +B #^style.visibility< *¶□,0% (D
 = 1驕: B visible*駕3 > +B #^style.visibility< *¶□,0% (D
 傅' = % (D秒' = % (D駕' = 傅
 @B B B B 0FB % (D話' = 1驕: B visible*駕
 3 > +B #^style.visibility< *¶□,0% (+8+0++□,r+0r0r+r+
 %rrr 1□ | c

鄺矯鵠h+珣+’迟

0X^`h^ Session 5 Corporate Strategies▲q▲q▲3▲Microsoft Office
 PowerPoint@慢闌@OPDu{ @` 0稅□ GL g r ^%↓r|y -
 □ -r#\$^| x x @Arial -r.↑r| -
 77^2 39 Session 5 L | L .r "System↑r 9^ -r| @Arial -
 r^ .r↑r| 77%2 B▼Corporate Strategies L | L .r -r| 胀
 謂.←搬□+, 0