

基于关联数据的推荐系统综述

田野^{1,2}, 祝忠明¹, 刘树栋³

1. 中国科学院国家科学图书馆兰州分馆 兰州 730000;

2. 中国科学院大学 北京 100049;

3. 北京邮电大学计算机学院 北京 100876

Tian Ye^{1,2}, Zhu Zhongming¹, Liu Shudong³

1. The Lanzhou Branch of National Science Library, Chinese Academy of Sciences, Lanzhou 730000, China;

2. University of Chinese Academy of Sciences, Beijing 100049, China;

3. School of Computer Science, Beijing University of Posts and Telecommunications, Beijing 100876, China

- 摘要
- 参考文献
- 相关文章

Download: PDF (718KB) [HTML](#) (1KB) Export: BibTeX or EndNote (RIS) Supporting Info

摘要 从基于关联数据的推荐系统的提出背景入手,介绍关联数据在推荐系统中发挥的作用,全面梳理基于关联数据的推荐系统与传统推荐系统的异同点,帮助读者了解基于关联数据的推荐系统产生的原因及应用背景。按照推荐系统的一般分类方法,以详细介绍具体应用实例的方式,系统地分析与总结基于关联数据的推荐系统的主要方法。

关键词: [关联数据](#) [本体](#) [语义网](#) [推荐系统](#)

Abstract: Firstly, this paper introduces the background and the effect of linked data in recommendation system, summarizes similarities and differences between the recommendation system based on linked data and the traditional recommendation system. This is to help readers understand the cause and application background of the recommendation system based on linked data. Secondly, this paper systematically analyses the main method of recommendation system based on linked data on basis of the general classification of recommendation system and detailed introduction of concrete application examples.

Keywords: [Linked data](#), [Ontology](#), [Semantic Web](#), [Recommendation system](#)

收稿日期: 2013-07-08;

基金资助:本文系中国科学院西部之光联合学者项目“机构知识库的语义增强方法与技术研究”的研究成果之一。

通讯作者 田野 Email: tiany@mail.las.ac.cn

引用本文:

田野, 祝忠明, 刘树栋 .基于关联数据的推荐系统综述[J] 现代图书情报技术, 2013,V29(10): 1-7

Tian Ye, Zhu Zhongming, Liu Shudong .Review of Recommendation System Based on Linked Data[J] , 2013,V29(10): 1-7

链接本文:

<http://www.infotech.ac.cn/CN/> 或 <http://www.infotech.ac.cn/CN/Y2013/V29/I10/1>

Service

- ▶ 把本文推荐给朋友
- ▶ 加入我的书架
- ▶ 加入引用管理器
- ▶ Email Alert
- ▶ RSS

作者相关文章

- ▶ 田野
- ▶ 祝忠明
- ▶ 刘树栋

- [1] Burke R. Hybrid Recommender Systems: Survey and Experiments[J]. *User Modeling and User-adapted Interaction*, 2002, 12(4):331-370.
- [2] Adomavicius G, Tuzhilin A. Toward the Next Generation of Recommender Systems: A Survey of the State-of-the-art and Possible Extensions [J]. *IEEE Transactions on Knowledge and Data Engineering*, 2005, 17(6):734-749.
- [3] Sarwar B, Karypis G, Konstan J, et al. Analysis of Recommendation Algorithms for E-commerce[C]. In: *Proceedings of the 2nd ACM Conference on Electronic Commerce*. New York, NY, USA: ACM, 2000:158-167.
- [4] Sarwar B, Karypis G, Konstan J, et al. Item-based Collaborative Filtering Recommendation Algorithms[C]. In: *Proceedings of the 10th International Conference on World Wide Web*. New York, NY, USA: ACM, 2001:285-295.
- [5] Claypool M, Gokhale A, Miranda T, et al. Combining Content-based and Collaborative Filters in an Online Newspaper[C]. In: *Proceedings of ACM SIGIR Workshop on Recommender Systems*. 1999.
- [6] Good N, Schafer J B, Konstan J A, et al. Combining Collaborative Filtering with Personal Agents for Better Recommendations[C]. In: *Proceedings of the 16th National Conference on Artificial Intelligence and the 11th Innovative Applications of Artificial Intelligence*. Menlo Park, CA, USA: American Association for Artificial Intelligence, 1999:439-446.

- [7] Sarwar B M, Konstan J A, Borchers A, et al. Using Filtering Agents to Improve Prediction Quality in the GroupLens Research Collaborative Filtering System[C]. In: *Proceedings of the 1998 ACM Conference on Computer Supported Cooperative Work*. New York, NY, USA: ACM, 1998: 345-354.
- [8] Koren Y, Bell R, Volinsky C. Matrix Factorization Techniques for Recommender Systems[J]. *Computer*, 2009, 42(8): 30-37.
- [9] Ma H, King I, Lyu M R. Learning to Recommend with Social Trust Ensemble[C]. In: *Proceedings of the 32nd International ACM SIGIR Conference on Research and Development in Information Retrieval*. New York, NY, USA: ACM, 2009.
- [10] Adomavicius G, Tuzhilin A. Context-aware Recommender Systems[A].//Recommender Systems Handbook[M]. Springer, 2011: 217-253.
- [11] Adomavicius G, Tuzhilin A. Context-aware Recommender Systems[C]. In: *Proceedings of the 2008 ACM Conference on Recommender Systems*. New York, NY, USA: ACM, 2008: 335-336.
- [12] Passant A, Heitmann B, Hayes C. Using Linked Data to Build Recommender Systems[C]. In: *Proceedings of the 3rd ACM Conference on Recommender Systems*. New York, NY, USA: ACM, 2009.
- [13] Di Noia T, Mirizzi R, Ostuni V C, et al. Exploiting the Web of Data in Model-based Recommender Systems[C]. In: *Proceedings of the 6th ACM Conference on Recommender Systems*. New York, NY, USA: ACM, 2012: 253-256.
- [14] Apostolski V, Jovanoski L, Tranjanov D. Linked Data-based Social Bookmarking and Recommender System[C]. In: *Proceedings of ICT Innovations*. 2012: 133-142.
- [15] Policarpio S, Brunk S, Tummarello G. Implementation of a SPARQL Integrated Recommendation Engine for Linked Data with Hybrid Capabilities [C]. In: *Proceedings of Artificial Intelligence Meets the Web of Data (AIWWD) Workshop, at the European Conference on Artificial Intelligence (ECAI)*. 2012.
- [16] Berners-Lee T. Linked Data-Design Issues[EB/OL].(2006-07-27).[2013-07-28].<http://www.w3.org/DesignIssues/LinkedData.html>.
- [17] Jentzsch R C A. The Linking Open Data Cloud Diagram[EB/OL].[2013-05-10].<http://lod-cloud.net/>.
- [18] Heitmann B, Hayes C. Using Linked Data to Build Open, Collaborative Recommender Systems[C]. In: *Proceedings of AAAI Spring Symposium: Linked Data Meets Artificial Intelligence*. 2010.
- [19] George T, Merugu S. A Scalable Collaborative Filtering Framework Based on Co-clustering[C]. In: *Proceedings of the 5th IEEE International Conference on Data Mining*. 2005: 625-628.
- [20] Lémdani R, Polaillon G, Bennacer N, et al. A Semantic Similarity Measure for Recommender Systems[C]. In: *Proceedings of the 7th International Conference on Semantic Systems*. New York, NY, USA: ACM, 2011: 183-186.
- [21] Passant A. Dbrec-Music Recommendations Using DBpedia[C]. In: *Proceedings of the 9th International Semantic Web Conference (ISWC)*. 2010: 209-224.
- [22] Passant A. Measuring Semantic Distance on Linking Data and Using It for Resources Recommendations[C]. In: *Proceedings of AAAI Spring Symposium: Linked Data Meets Artificial Intelligence*. 2010.
- [23] Hu W, Yan K, Jia C, et al. SmartMusic: An Online Music Recommendation System Based on Semantic Web Technology[EB/OL]. [2013-07-28].http://challenge.semanticweb.org/submissions2011/swc2011_submission_4.pdf.
- [24] Meymandpour R, Davis J G. Recommendations Using Linked Data[C]. In: *Proceedings of the 5th Ph.D. Workshop on Information and Knowledge*. 2012: 75-82.
- [25] Danica D, Milan S, Philippe L. Linked Data-based Concept Recommendation: Comparison of Different Methods in Open Innovation Scenario [C]. In: *Proceedings of the 9th Extended Semantic Web Conference*. 2012: 24-38.
- [26] Di Noia T, Mirizzi R, Ostuni V C, et al. Linked Open Data to Support Content-based Recommender Systems[C]. In: *Proceedings of the 8th International Conference on Semantic Systems*. 2012: 1-8.
- [27] Baumann S, Schirru R. Using Linked Open Data for Novel Artist Recommendations[C]. In: *Proceedings of the 13th International Society for Music Information Retrieval Conference*. 2012.
- [28] Ostuni V C, Di Noia T, Mirizzi R, et al. Cinemappy: A Context-aware Mobile App for Movie Recommendations Boosted by DBpedia[C]. In: *Proceedings of the SeRSy*. 2012: 37-48.
- [29] Yang R, Hu W, Qu Y Z. Using Semantic Technology to Improve Recommendation Systems Based on Slope One[C]. In: *Proceedings of Semantic Web and Web Science*. Springer, 2013: 11-23.
- [30] 许海玲, 吴潇, 李晓东, 等. 互联网推荐系统比较研究[J]. 软件学报, 2009, 20(2): 350-362. (Xu Hailing, Wu Xiao, Li Xiaodong, et al. Comparison Study of Internet Recommendation System[J]. *Journal of Software*, 2009, 20(2): 350-362.) 
- [31] Fernández-Tobías I, Cantador I, Kaminskas M, et al. A Generic Semantic-based Framework for Cross-domain Recommendation [C]. In: *Proceedings of the 2nd International Workshop on Information Heterogeneity and Fusion in Recommender Systems*. 2011: 25-32.
- [32] Gordea S, Lindley A, Graf R. Computing Recommendations for Long Term Data Accessibility Basing on Open Knowledge and Linked Data [EB/OL]. [2013-08-02]. <http://ceur-ws.org/Vol-811/paper8.pdf>.
- [1] 虞为, 陈俊鹏. 基于MapReduce的书目数据关联匹配研究[J]. 现代图书情报技术, 2013, 29(9): 15-22
- [2] 朱恒民, 贾丹华, 黄震奇, 王春晖. 互联网用户偏好本体实例的学习方法研究[J]. 现代图书情报技术, 2013, 29(7/8): 43-48
- [3] 刘巍, 祝忠明, 张旺强, 王思丽, 姚晓娜, 卢利农. 利用转化SKOS和关联规则挖掘创建本体及其检索应用[J]. 现代图书情报技术, 2013, 29(7/8): 22-27

- [4] 何金晶, 窦永香.社会化标注系统中的本体研究综述[J]. 现代图书情报技术, 2013,(6): 16-22
- [5] 余贵清, 张永安.审判案例自动抽取与标注模型研究[J]. 现代图书情报技术, 2013,(6): 23-29
- [6] 王忠义, 夏立新, 石义金, 郑森茂.数字图书馆中层关联数据的创建与发布[J]. 现代图书情报技术, 2013,(5): 28-33
- [7] 姚晓娜, 祝忠明, 王思丽.面向地学领域的自动语义标注研究[J]. 现代图书情报技术, 2013,(4): 48-53
- [8] 刘炜, 夏翠娟, 张春景.大数据与关联数据:正在到来的数据技术革命[J]. 现代图书情报技术, 2013,(4): 2-9
- [9] 夏翠娟.RDB2RDF标准及应用研究[J]. 现代图书情报技术, 2013,(4): 10-17
- [10] 朱雯晶, 夏翠娟, 刘炜.SILK关联发现框架综析[J]. 现代图书情报技术, 2013,(4): 18-24
- [11] 钟远薪, 李田章, 刘炜.OPAC混搭关联数据应用研究[J]. 现代图书情报技术, 2013,(4): 25-29
- [12] 李晓鹏, 颜端武, 蔡金霞, 成晓.利用本体资源标注实现站内检索语境导航[J]. 现代图书情报技术, 2013,29(3): 8-13
- [13] 薛建武, 赵娜, 王东娜.面向本体构建的叙词表词间关系细化和应用研究[J]. 现代图书情报技术, 2013,29(3): 14-20
- [14] 高劲松, 梁艳琪, 马倩倩, 周习曼, 付旭雄.面向关联数据的引文知识链接模式研究[J]. 现代图书情报技术, 2013,29(3): 21-26
- [15] 洪娜, 钱庆, 范炜, 方安, 王军辉.关联数据中关系发现的可视化实践[J]. 现代图书情报技术, 2013,29(2): 11-17