

## Random walks with k-wise independent increments

Itai Benjamini, *The Weizmann Institute of Science*  
Gady Kozma, *The Weizmann Institute of Science*  
Dan Romik, *University of California, Berkeley*

### Abstract

We construct examples of a random walk with pairwise-independent steps which is almost surely bounded, and for any  $m$  and  $k$  a random walk with  $k$ -wise independent steps which has no stationary distribution modulo  $m$ .

Full text: [PDF](#) | [PostScript](#)

Pages: 100-107

Published on: July 6, 2006

### Bibliography

1. Alon, Noga; Spencer, Joel H. The probabilistic method. Optimization. *Wiley-Interscience [John Wiley & Sons]*, New York, 2000. xviii+301 pp. ISBN: 0-471-37046-0 [MR1885388](#) (2003f: 60003)
2. Janson, Svante. Some pairwise independent sequences for which the central limit theorem *Stochastics* 23 (1988), no. 4, 439--448. [MR0943814](#) (89e: 60048)
3. Joffe, A. On a set of almost deterministic  $k$ -independent random variables. *Ann. Probability* 2 (1974), no. 1, 161--162. [MR0356150](#) (50 #8621)
4. Schipp, F.; Wade, W. R.; Simon, P.. Walsh series. *Adam Hilger, Ltd., Bristol*, 1990. x+560 pp. ISBN: 0-7503-0068-X [MR1117682](#) (92g: 42001)
5. Wade, William R. Dyadic harmonic analysis. 313--350, *Contemp. Math.*, 208, Amer. Math. Soc., Providence, RI, 1997. [MR1467014](#) (98m: 42046)

### Research Support Tool

Capture Cite  
View Metadata  
Printer Friendly

▼ Context

Author Address

▼ Action

Email Author  
Email Others