



Linear NDCG and Pair-wise Loss

[Xiao-Bo Jin](#), [Guang-Gang Geng](#)

(Submitted on 11 Mar 2013)

Linear NDCG is used for measuring the performance of the Web content quality assessment in ECML/PKDD Discovery Challenge 2010. In this paper, we will prove that the DCG error equals a new pair-wise loss.

Comments: 5 pages, 3 figures

Subjects: **Learning (cs.LG)**; Machine Learning (stat.ML)

Cite as: **arXiv:1303.2417 [cs.LG]**

(or **arXiv:1303.2417v1 [cs.LG]** for this version)

Submission history

From: GuangGang Geng [[view email](#)]

[v1] Mon, 11 Mar 2013 03:29:35 GMT (7kb)

[Which authors of this paper are endorsers?](#)

Download:

- [PDF](#)
- [PostScript](#)
- [Other formats](#)

Current browse context:

cs.LG

[< prev](#) | [next >](#)

[new](#) | [recent](#) | [1303](#)

Change to browse by:

[cs](#)

[stat](#)

[stat.ML](#)

References & Citations

- [NASA ADS](#)

DBLP - CS Bibliography

[listing](#) | [bibtex](#)

[Xiao-Bo Jin](#)

[Guanggang Geng](#)

Bookmark([what is this?](#))

