

# 超声内镜在腹腔镜手术中的应用

《现代肿瘤医学》[ISSN:1672-4992/CN:61-1415/R] 期数: 2019年10期 页码: 1827-1830 栏目: 综述 出版日期: 2019-04-08

**Title:** Application of endoscopic ultrasonography in laparoscopic surgery

**作者:** 王文慧; 于韬

中国医科大学肿瘤医院, 辽宁省肿瘤医院超声科, 辽宁 沈阳 110042

**Author(s):** Wang Wenhui; Yu Tao

Department of Diagnostic Ultrasound, Cancer Hospital of China Medical University, Liaoning Cancer Hospital & Institute, Liaoning Shenyang 110042, China.

**关键词:** 超声内镜; 腹腔镜; 胃间质瘤; 胰腺假性囊肿; 胆总管结石; 膀胱癌

**Keywords:** endoscopic ultrasonography; laparoscopy; gastric stromal tumors; pancreatic pseudocyst; choledocholithiasis; bladder tumor

**分类号:** R730.49

**DOI:** 10.3969/j.issn.1672-4992.2019.10.041

**文献标识码:** A

**摘要:** 腹腔镜在临床中的应用已有百年历史, 特别是近二十年来快速发展, 几乎覆盖了所有的腹部手术。与此同时, 超声内镜的出现使内镜技术取得了巨大的进步。超声内镜技术越来越受到重视, 其应用范围也在不断扩大。从单纯的图像诊断、超声内镜引导下细针抽吸(FNA)活检阶段, 再到超声内镜下介入性诊断和治疗, 超声内镜技术已成为腹腔镜手术不可缺少的诊疗手段。本文就当前腹腔镜手术的研究热点, 综合评价超声内镜技术在腹腔镜手术中的研究现状, 着重介绍超声内镜在胃间质瘤、胰腺假性囊肿、胆管结石、膀胱癌中的应用, 对其临床意义进行客观性评价。

**Abstract:** The clinical application of laparoscopy has a history of more than 100 years, especially in the past 20 years. It has now covered almost all abdominal surgery. At the same time, the emergence of ultrasound endoscopy has made tremendous progress in endoscopic technology. Endoscopic ultrasonography has received increasing attention, and its scope of application is constantly expanding. From simple image diagnosis, endoscopic ultrasound-guided fine needle aspiration (FNA) biopsy stage, to endoscopic interventional diagnosis and treatment. At present, ultrasound endoscopy has become an indispensable tool for surgical laparoscopic surgery. This paper focuses on the current research hotspots of laparoscopic surgery and comprehensively evaluates the current research status of ultrasound endoscopy in laparoscopic surgery. It focuses on the application of endoscopic ultrasonography in gastric stromal tumors, pancreatic pseudocyst, choledocholithiasis and bladder tumor, and evaluates its clinical significance objectively.

## 参考文献/REFERENCES

- [1] Stupnik S, Rafaelli C, González GO, et al. Subepithelial tumors of the gastrointestinal tract [J]. Acta Gastroenterol Latinoam, 2009, 39(2): 118-124.
- [2] Ponsaing LG, Kiss K, Loft A, et al. Diagnostic procedures for submucosal tumors in the gastrointestinal tract [J]. World Journal of Gastroenterology, 2007, 13(24): 3301-3310.
- [3] Dhupar R, Correa AM, Weston BR, et al. Endoscopic ultrasound estimates for tumor depth at the gastroesophageal junction are inaccurate: implications for the liberal use of endoscopic resection [J]. Annals of Thoracic Surgery, 2015, 100(5): 1812-1816.
- [4] Tepeoglu M, Ozturk G, Tunca MZ, et al. Gastrointestinal stromal tumors: A clinicopathological and immunohistochemical study of 65 cases [J]. Turk Patoloji Derg, 2018.(2018-04-09) [2018-8-31]. [http://www.turkjpath.org/pdf/pdf\\_TPD\\_1864.pdf](http://www.turkjpath.org/pdf/pdf_TPD_1864.pdf).
- [5] Ippen M, Ryoji M, Yoshiaki H, et al. Endoscopic ultrasound-guided forceps biopsy from upper gastrointestinal subepithelial lesions using a forward-viewing echoendoscope [J]. Endoscopy International Open, 2016, 04(06): E637-E641.
- [6] Matta J, Oliver M. Metastatic gastrinoma with secretory differentiation to ACTH [J]. Journal of Gastroenterology & Hepatology, 2016, 31(10): 1669-1669.
- [7] Liu WJ, Dai WJ, Liu L, et al. Clinical curative effect analysis of 162 gastric stromal tumors treated by endoscopic resection [J]. Chinese Journal of Minimally Invasive Surgery, 2017, 17(4): 298-301.
- [刘文婕, 戴伟杰, 刘莉, 等. 162例胃间质瘤内镜下治疗的临床疗效分析 [J]. 中国微创外科杂志, 2017, 17(4): 298-301.]
- [8] Shen DD, Lv ZW, Qiu YH, et al. Endoscopic ultrasonography

to review the research progress of gastric stromal tumor [J]. Chinese Journal of Gastroenterology and Hepatology, 2015, 24(10): 1249-1252. [沈丹丹, 吕志武, 邱月虹, 等.超声内镜对胃间质瘤的研究进展 [J]. 胃肠病学和肝病学杂志, 2015, 24(10): 1249-1252.] [9] Na HK, Lee JH, Park YS, et al. Yields and utility of endoscopic ultrasonography-Guided 19-Gauge trucut biopsy versus 22-Gauge fine needle aspiration for diagnosing gastric subepithelial tumors [J]. Clinical Endoscopy, 2015, 48(2): 152-157. [10] Jang SI, Dong KL. Contrast-enhanced endoscopic ultrasonography: Advance and current status [J]. Ultrasonography, 2014, 33(3): 161. [11] Cui AL, Li QQ, Ding XH, et al. Applications of endoscopic ultrasound elastographic imaging in diagnosis of digestive system diseases [J]. Chinese Journal of Interventional Imaging and Therapy, 2016, 13(11): 701-704. [崔艾琳, 李倩倩, 丁新华, 等.超声内镜弹性成像在消化系统疾病诊断中的研究进展 [J]. 中国介入影像与治疗学, 2016, 13(11): 701-704.] [12] Joensuu HDS. Tyrosine kinase inhibitor imatinib (ST1571) as an anticancer agent for solid tumours [J]. Annals of Medicine, 2001, 33(7): 451-455. [13] Xue GJ. Clinical effects comparison of laparoscopy and laparotomy in the treatment of gastric stromal tumors [J]. Clinical Research and Practice, 2018, 3(09): 60-61. [薛国际.腹腔镜与开腹手术治疗胃间质瘤的临床效果比较 [J]. 临床医学研究与实践, 2018, 3(09): 60-61.] [14] Ye L, Wu X, Wu T, et al. Meta-analysis of laparoscopic vs open resection of gastric gastrointestinal stromal tumors [J]. Plos One, 2017, 12(5): e0177193. [15] Huang CM, Chen QF, Lin JX, et al. Can laparoscopic surgery be applied in gastric gastrointestinal stromal tumors located in unfavorable sites? A study based on the NCCN guidelines [J]. Medicine, 2017, 96(14): e6535.

[16] Shoji Y, Takeuchi H, Goto O, et al. Optimal minimally invasive surgical procedure for gastric submucosal tumors [J]. Gastric Cancer, 2017, 21(3): 1-8. [17] Petrone MC, Arcidiacono PG, Perri F, et al. Chronic pancreatitis-like changes detected by endoscopic ultrasound in subjects without signs of pancreatic disease: Do these indicate age-related changes, effects of xenobiotics, or early chronic pancreatitis [J]? Pancreatology: Official Journal of the International Association of Pancreatology (IAP), 2010, 10(5): 597-602.

[18] Thornton GD, Mcphail MJ, Nayagam S, et al. PTU-234 endoscopic ultrasound guided fine needle aspiration for the diagnosis of pancreatic cystic neoplasms: a meta-analysis [J]. Pancreatology, 2013, 13(1): 48-57. [19] Khashab MA, Kim K, Lennon AM, et al. Should we do EUS/FNA on patients with pancreatic cysts? The incremental diagnostic yield of EUS over CT/MRI for prediction of cystic neoplasms [J]. Gastrointestinal Endoscopy, 2013, 73(4): AB327. [20] Lu QW, Qin MF, Sun XY. A case of endoscopic ultrasound guided transgastric and transpapillary pancreatic pseudocyst drainage [J]. World Chinese Journal of Digestology, 2015, 23(17): 2839-2842. [卢庆威, 秦鸣放, 孙向宇.超声内镜下经胃、十二指肠穿刺内引流治疗胰腺假性囊肿1例 [J]. 世界华人消化杂志, 2015, 23(17): 2839-2842.] [21] Sun LH, Wang X, Zhang XY. Progress of endoscopic ultrasonography in the treatment of pancreatic pseudocyst [J]. The Journal of Practical Medicine, 2018, 34(10): 1743-1748. [孙利慧, 王新, 张筱茵.超声内镜在胰腺假性囊肿治疗中的进展 [J]. 实用医学杂志, 2018, 34(10): 1743-1748.] [22] Varadarajulu S, Phadnis MA, Christein JD, et al. Multiple transluminal gateway technique for EUS-guided drainage of symptomatic walled-off pancreatic necrosis [J]. Gastrointestinal Endoscopy, 2011, 74(1): 74-80. [23] Braden B, Dietrich CF. Endoscopic ultrasonography-guided endoscopic treatment of pancreatic pseudocysts and walled-off necrosis: New technical developments [J]. World Journal of Gastroenterology, 2014, 20(43): 16191-16196. [24] Ding WF. Progress in diagnosis and treatment of pancreatic pseudocyst [J]. Chinese Journal of Surgery of Integrated Traditional and Western Medicine, 2015, 21(5): 537-539. [丁卫锋.胰腺假性囊肿诊疗进展 [J]. 中国中西医结合外科杂志, 2015, 21(5): 537-539.] [25] Panamonta N, Ngamruengphong S, Kjitsirichareanchai K, et al. Endoscopic ultrasound-guided versus conventional transmural techniques have comparable treatment outcomes in draining pancreatic pseudocysts [J]. Eur J Gastroenterol Hepatol, 2012, 24(12): 1355-1362.

[26] Wu JX, Chen JJ, Huang QF. Clinical value of endoscopic ultrasonography combined with magnetic resonance cholangiography in diagnosis of stones in common bile duct [J]. Jiangsu Medical Journal, 2018, 44(04): 397-399. [吴军霞, 陈佳佳, 黄权芳.超声内镜联合磁共振胆管造影术诊断胆总管结石的临床价值 [J]. 江苏医药, 2018, 44(04): 397-399.] [27] Karakan T, CiN Doruk M, Alagozlu H, et al. EUS versus endoscopic retrograde cholangiography for patients with intermediate probability of bile duct stones: A prospective randomized trial [J]. Gastrointestinal Endoscopy, 2009, 69(2): 244-252. [28] Guo MS. Application of ultrasound endoscope in diagnosis of choledocholithiasis and analysis of imaging manifestations [J]. China & Foreign Medical Treatment, 2017, 36(10): 187-189. [郭明珊.超声内镜诊断胆总管结石的应用与影像学表现分析 [J]. 中外医疗, 2017, 36(10): 187-189.] [29] Quan ZW, Tang ZH, Zhang WJ. Paying attention to the reasonable and standard application of endoscopic technique in biliary tract diseases [J]. Chinese Journal of Practical Surgery, 2017, 37(8): 832-837. [全志伟, 汤朝晖, 张文杰.重视内镜技术在胆道疾病外科诊治中的规范应用 [J]. 中国实用外科杂志, 2017, 37(8): 832-837.] [30] Singh An, Narayan, Kilambi Ragini. Single-stage laparoscopic common bile duct exploration and cholecystectomy versus two-stage endoscopic stone extraction followed by laparoscopic cholecystectomy for patients with gallbladder stones with common bile duct stones: Systematic review and meta-analysis of randomized trials with trial sequential analysis [J]. Surg Endosc, 2018, 32(9): 3763-3776. [31] Sharma M, Somani P, Sunkara T. Imaging of gall bladder by endoscopic ultrasound [J]. World Journal of Gastrointestinal Endoscopy, 2018, 10(1): 10-15. [32] Yang LJ, Zhang LW, Li HL, et al. Analysis of the tumor stage by using computed tomography (CT) and endoscopic ultrasonography (EUS) [J]. Chinese Journal of Laboratory Diagnosis, 2014, 18(2): 243-245. [杨立军, 张立文, 李海立, 等.CT扫描及内镜超声检查对膀胱癌分期的研究 [J]. 中国实验诊断学, 2014, 18(2): 243-245.]

**备注/Memo:** 辽宁省“百千万人才工程”资助项目 (编号: 2010921039)

更新日期/Last Update: 1900-01-01

